



Industrial Mini-ITX.

The ML450 features systems with the balance of industrial design, connectivity and performance that modern businesses demand.

onlogic.com/ml400-series >

Interface With Anything

The ML450 has been configured to offer a range of connectivity options. Choose the configuration that matches your application.



Demand Reliability

Combining functional, yet attractive, efficient designs with a fanless and ventless chassis, as well as our proprietary passive cooling solutions, Hardshell™ Fanless Technology increases the life and durability of our industrial computers.

Do More, Worry Less

A variety of powerful Intel processors and a fanless, ventless enclosure combine to make the ML450 a highly-capable, ultra-reliable industrial PC.

US Office

Phone: +1 802 861 2300
Email: info@onlogic.com
www.onlogic.com

EU Office

Phone: +31 088 5200 700
Email: info@onlogic.eu
www.onlogic.com

Industrial Intel® Skylake Mini-ITX Computer


Specifications

ML450G-51

Front I/O	2 USB 2.0 ports Power button	Memory Type	DDR4 SO-DIMM (non-ECC)
Rear I/O	3 HDMI ports 2 Gb LAN ports 4 USB 3.0 ports 2 RS-232/422/485 COM ports 1 RS-232 COM port 1 VGA port 2 Audio jacks; line-out, mic-in	Memory Capacity	Up to 32 GB
Processor	Intel Celeron, Pentium, Core i3/i5	Memory Speed	2133 MHz
Processor Speed	Configuration Dependent	LAN Controller	Intel I210 GbE Intel I219LM
Processor Generation	Skylake	Input Voltage	12 V or 19 ~ 24 V
Processor Core	Configuration Dependent	Power Input	DC jack
Graphics / GPU	Intel HD Graphics 510 Intel HD Graphics 530 (Processor Dependent)	Operating Temp. Range	0°C ~ 40°C
		Dimensions (WxHxD)	196 mm x 57 mm x 270 mm
		Case Material	Steel With Aluminum Extrusion
		Mounting Options	DIN-mount, VESA MIS-D 100 mount, Wall-mount

Dimensional Drawings

All measurements in mm



onlogic.com/ml450g-51 ➔

US Office

Phone: +1 802 861 2300
Email: info@onlogic.com
www.onlogic.com


EU Office

Phone: +31 088 5200 700
Email: info@onlogic.eu
www.onlogic.com

ML450 Dimensional Drawings

Fanless Mini-ITX Case


All measurements in mm




FRONT




SIDE



* Shown with Additional COM



* Shown with Optional LCD



onlogic.com/ml400-series >

US Office

Phone: +1 802 861 2300
 Email: info@onlogic.com
www.onlogic.com

EU Office

Phone: +31 088 5200 700
 Email: info@onlogic.eu
www.onlogic.com