



Advanced Thin Mini-ITX.

The ideal combination of size and performance, the TM250 Series wraps Thin Mini-ITX computing in a highly versatile, industrial enclosure.

onlogic.com/tm250



Low Profile Design

With its ultra-thin profile and solid state storage, the TM250 Series can be mounted where and how you need it.



Dependable Performance

Unlike other energy-efficient systems that struggle with processing-intensive tasks, the TM250 Series was built with versatility in mind and features powerful Intel processing.

Industrial Connectivity

Despite measuring less than 1.5" tall, the TM250 Series provides the industrial connectivity today's commercial applications demand.

US Office

Phone: +1 802 861 2300

Email: info@onlogic.com

www.onlogic.com

EU Office

Phone: +31 088 5200 700

Email: info@onlogic.eu

www.onlogic.com

Industrial Intel® Bay Trail Fanless Computer


Specifications

TM250

Processor	Intel Celeron J1900	Expansion Options	1 PCIe Mini Card (full height) 1 PCIe Mini Card (half-height)
Processor Speed	2 GHz	Storage Options	mSATA
Processor Generation	Bay Trail	LAN Controller	Realtek RT8111G-CG
Processor Cores	4	Input Voltage	8~19 VDC
Graphics / GPU	Intel HD Graphics	Power Input	DC jack
Memory	DDR3L SO-DIMM (non-ECC) Up to 8 GB	Operating Temp. Range	0 ~ 55°C
Rear I/O	2 USB 2.0 high current ports 2 USB 3.0 ports 2 RS-232 COM ports 1 VGA port 1 HDMI port 1 Gb LAN port 2 Audio jacks 1 DC jack (8 V to 19 V)	Dimensions (WxHxD)	196 x 37 x 213 mm
Front I/O	2 USB 2.0 ports Power button	Mounting Options	DIN-mount VESA-mount Wall-mount
		Regulatory Information	2011/65/EU (RoHS 2 Directive) CE EN 55022 EN 55024 EN 55032 EN 60950-1 FCC 47 CFR Part 15

Dimensional Drawings

All measurements in mm



onlogic.com/tm250



US Office

Phone: +1 802 861 2300

Email: info@onlogic.com

www.onlogic.com

EU Office

Phone: +31 088 5200 700

Email: info@onlogic.eu

www.onlogic.com

TM250 Dimensional Drawings

Low Profile Fanless Computer

All measurements in mm

